

# BRL

AD



CONTRACT REPORT NO. 354

THREE-DIMENSIONAL COMPUTATIONS, VOLUME II: 45° OBLIQUE IMPACT

DE FILE COPY

Prepared by

Computer Code Consultants 527 Glencrest Drive Solana Beach, CA 92075

November 1977

Approved for public release; distribution unlimited.



USA ARMAMENT RESEARCH AND DEVELOPMENT COMMAND USA BALLISTIC RESEARCH LABORATORY ABERDEEN PROVING GROUND, MARYLAND

Destroy this report when it is no longer needed. Do not return it to the originator.

Secondary distribution of this report by originating or sponsoring activity is prohibited.

Additional copies of this report may be obtained from the National Technical Information Service, U.S. Department of Commerce, Springfield, Virginia 22161.

The findings in this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

The use of trade names or manufacturers' names in this report does not constitute indorsement of any commercial product.

18 BRL, SBIE 19 CR-354, AD-E400 076

UNCLASSIFIED SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered) READ INSTRUCTIONS REPORT DOCUMENTATION PAGE BEFORE COMPLETING FORM REPORT NUMBER 2. GOVT ACCESSION BRL Contract Report No. 354 TITLE (and Subtitle) Final, April 1976-April 197 THREE-DIMENSIONAL COMPUTATIONS. VOLUME 11: 45 OBLIQUE IMPACT 6. PERFORMING ORG. REPORT NUMBER 8. CONTRACT OR GRANT NUMBER(\*) AUTHOR() W. Johnson DAAD 5-76-C-9755 Kucher (BRL) PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS PERFORMING ORGANIZATION NAME AND ADDRESS Computer Code Consultants 1W1611Ø2A33H 527 Glencrest Drive Solana Beach, CA 92075
11. CONTROLLING OFFICE NAME AND ADDRESS USA Ballistic Research Laboratory Aberdeen Proving Ground, MD 21005 14. MONITORING AGENCY NAME & ADDRESS(If different from Controlling Office) 15. SECURITY CLASS (of the report) UNCLASSIFIED US Army Materiel Development & Readiness Command 5001 Eisenhower Avenue 15a. DECLASSIFICATION/DOWNGRADING SCHEDULE Alexandria, VA 22333 16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited. MAR 16 1978 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report) B 18. SUPPLEMENTARY NOTES 19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Penetration mechanics Hypervelocity impact Hydrodynamic computer code Three-dimensional computer code Eulerian computer code ide if necessary and identify by block number) Numerical calculations were made in 1975 of four oblique impact problems: 30°, 45°, 60°, and 77.5°. A graphical display of the results of the 45° deg impact of a copper jet on a steel target are presented.

DD FORM 1473 EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED

Preceding Page BLANK - FILMEN

### TABLE OF CONTENTS

	Page	
	LIST OF ILLUSTRATIONS	
Ι.	INTRODUCTION	
II.	DESCRIPTION OF THE PROBLEM	
III.	GRAPHICAL RESULTS	
IV.	SUMMARY 8	
	TABLE	
	FIGURES	
	DISTRIBUTION LIST	

ACCESS101	V for
NTIS	White Section
DDC	Buti Section [
UNANNOU	OCSD D
JUSTIFICAT	TON NOT
BY	
DISTRIBUT	ON/AVAILABILITY CODES
DISTRIBUT	ON/AVAN ABILITY CODES AL. and/or SPECIAL

Preceding Page BLank - FILMED

### LIST OF ILLUSTRATIONS

Figure		Page
1.	A Three-Dimensional Grid	. 11
2.	Computational Grid	. 12
3.	Penetrator-Target Configuration	. 13
4-18.	Density and Pressure Fields (t = 2.85 $\mu$ s)	. 14-27
18-33.	Density and Pressure Fields (t = 3.59 µs)	. 28-43

### Preceding Page BLank - FILMED

### I. INTRODUCTION

A series of four oblique impact computations (30°, 45°, 60°, and 77.5°) involving a copper jet impacting a steel plate were completed in 1975 for the Ballistic Research Laboratory. This work was performed using TRIDORF<sup>2</sup> and DORF<sup>3</sup>, and ancillary programs CUBIT<sup>3</sup> and ADJUST under Contract No. DAADO5-75-C-0738.

The effort for 1976 has been directed towards a graphical display of the data from these computations. The four oblique impacts in the series will be presented in sequential volumes with the results of the 45° obliquity impact being reported here.

### II. DESCRIPTION OF THE PROBLEM

The 45° oblique impact computation involved a copper jet with a 0.7086-mm radius impacting on a 12.7-mm thick steel target. The obliquity angle is measured between the normal to the target and the axis of the jet. Since TRIDORF uses a rectangular grid, the copper jet was treated as a bar with a square cross section of 1.256-mm width, thus preserving the cross-sectional area of the jet. The impact velocity was 7.55 km/s.

The  $Tillotson^6$  form of the equation of state was used for the computations.

A view of a three-dimensional grid is shown in Figure 1. Each cell is identified by the coordinates (I,J,K), which number the cells in the x,y,z-directions, respectively. The overall size of the computational grid was x=39.256 mm by y=40.270 mm by z=17.539 mm. The maximum number of cells in the x-direction was I=42, in the y-direction, J=48, and in the z-direction, K=18. The total number of cells in the grid

<sup>1.</sup> W. E. Johnson, "Three-Dimensional Computations on Penetrator-Target Interactions," Ballistic Research Laboratory Contractor Report No. 338, May 1977. (AD #A041058)

<sup>2.</sup> W. E. Johnson, "TRIDORF - A Two-Material Version of the TRIOIL Code with Strength," Computer Code Consultants, CCC-976, September 1976.

<sup>3.</sup> W. E. Johnson, "Code Correlation Study," Air Force Weapons Laboratory Report No. AFWL-TR-70-144, April 1971.

<sup>4.</sup> W. E. Johnson, "Development and Application of Computer Programs to Hypervelocity Impact," Systems, Science and Software, 3SR-749, July 1971.

<sup>5.</sup> W. E. Johnson and V. Kucher, "Three-Dimensional Computations, Volume 1: 30° Oblique Impact", Ballistic Research Laboratory Contractor Report No. 344, July 1977. (AD #A043295)

<sup>6.</sup> J. H. Tillotson, "Metallic Equations of State for Hypervelocity Impact," Gulf General Atomic, GA-3216, July 1962.

was 36,288. Table I presents the dimensions of the cells, DX, DY, and DZ, and the grid coordinates as shown in Figure 1. These data are displayed in Figure 2.

The xy-plane was used as a plane of symmetry through the bar in order to keep the number of computational cells at a minimum. Since the width of the bar was four cells, the bar was two cells wide from the plane of symmetry. Figure 3 shows the penetrator-target configuration as it is located in the computational grid.

#### III. GRAPHICAL RESULTS

The numerical output of the computations is presented as density and pressure fields. The density and pressure are plotted on a two-dimensional spatial plane having the coordinates corresponding to the centers of cells. The fields are plotted such that a cell-number coordinate is held constant. For example, K may be constant meaning that the density or pressure is being presented for the cells between two z-planes bounding the K-cells. These bounding planes will be indicated in each figure. Figures 2 and 3 should be useful for orienting oneself in the grid.

The density scale for the density field plots can be realized from the initial density of the jet and the target, 8.9 and 7.8  $Mg/m^3$ , respectively. The density scale is the same in all the density field plots.

The pressure scale is not the same in all the pressure field plots; therefore, the maximum pressure, Pmax, is indicated on each figure.

The first set of figures, Figures 4-17, shows the density and pressure fields at a constant time of 2.85  $\mu s$  for various K-slabs which are numbered from the plane of symmetry. The jet appears distinct only when K = 1 and K = 2 since, initially, the jet was two cells in width from the plane of symmetry.

The second set of figures, Figures 18-33, shows the density and pressure fields at a constant time of 3.59  $\mu s$  for various K-slabs.

### IV. SUMMARY

Numerical computations were made in 1975 of oblique impact problems. A graphical display of the results of the 45° impact of a copper jet on a steel target are presented for future analysis. The results for the 30°, 45°, 60°, and 77.5° oblique impacts are presented in sequential volumes.

Table I. Grid Coordinates and Cell Dimensions

<u>I</u>	x (mm)	DX (mm)	<u>J</u>	<u>y (mm)</u>	DY (mm)	<u>K</u>	z (mm)	DZ (mm)
1	4.730	4.730	1	6.990	6.990	1	0.314	0.314
	6.847	2.117	2	8.790	1.800	2	0.628	0.314
2 3	8.541	1.694	3	10.390	1.000	3	0.942	0.314
4	9.896	1.355	4	11.790	1.400	4	1.256	0.314
5	10.980	1.084	5	12.990	1.200	5	1.601	0.345
6	11.965	0.985	6	13.990	1.000	6	1.981	0.380
7	12.861	0.896	7	14.790	0.800	7	2.399	0.418
8	13.675	0.814	8	15.390	0.600	8	2.859	0.460
9	14.415	0.740	9	15.890	0.500	9	3.365	0.506
10	15.088	0.673	10	16.290	0.400	10	3.921	0.556
11	15.707	0.619	11	16.604	0.314	11	4.540	0.619
12	16.263	0.556	12	16.918	0.314	12	5.213	0.673
13	16.769	0.506	13	17.232	0.314	13	5.953	0.740
14	17.229	0.460	14	17.546	0.314	14	6.767	0.814
15	17.647	0.418	15	17.860	0.314	15	7.663	0.896
16	18.027	0.380	16	18.174	0.314	16	8.648	0.985
17	18.372	0.345	17	18.488	0.314	17	9.732	1.084
18	18.686	0.314	18	18.802	0.314	18	17.539	7.807
19	19.000	0.314	19	19.116	0.314			
20	19.314	0.314	20	19.430	0.314			
21	19.628	0.314	21	19.744	0.314			
22	19.942	0.314	22	20.058	0.314			
23	20.256	0.314	23	20.372	0.314			
24	20.570	0.314	24	20.686	0.314			
25	20.884	0.314	25	21.000	0.314			
26	21.229	0.345	26	21.314	0.314			
27	21.609	0.380	27	21.628	0.314			
28	22.027	0.418	28 29	21.973	0.345			
29 30	22.487 22.993	0.469 0.506	30	22.353 22.771	0.380			
31	23.549	0.556	31	23.231	0.418 0.460			
32	24.168	0.619	32	23.737	0.460			
33	24.108	0.673	33	24.293	0.556			
34	25.581	0.740	34	24.233	0.619			
35	26.395	0.814	35	25.585	0.673			
36	27.291	0.896	36	26.325	0.740			
37	28.276	0.985	37	27.139	0.814			
38	29.360	1.084	38	28.035	0.896			
39	30.715	1.355	39	29.020	0.985			
40	32.409	1.694	40	30.104	1.084			
41	34.526	2.117	41	31.459	1.355			
42	39.256	4.730	42	33.153	1.694			
			43	35.270	2.117			
			44	37.700	2.500			
			45	40.270	2.500			
			46	42.770	2.500			
			47	45.270	2.500			
			48	47.770	2.500			




Figure 1. A Three-Dimensional Grid




Figure 2. Computational Grid




Figure 3. Penetrator-Target Configuration




Figure 4. Density and Pressure Fields




Figure 5. Density and Pressure Fields




Figure 6. Density and Pressure Fields




Figure 7. Density and Pressure Fields




Figure 8. Density and Pressure Fields




Figure 9. Density and Pressure Fields




Figure 10. Density and Pressure Fields




Figure 11. Density and Pressure Fields




Figure 12. Density and Pressure Fields




Figure 13. Density and Pressure Fields




Figure 14. Density and Pressure Fields




Figure 15. Density and Pressure Fields




Figure 16. Density and Pressure Fields




Figure 17. Density and Pressure Fields




Figure 18. Density and Pressure Fields




Figure 19. Density and Pressure Fields




Figure 20. Density and Pressure Fields




Figure 21. Density and Pressure Fields




Figure 22. Density and Pressure Fields




Figure 23. Density and Pressure Fields




Figure 24. Density and Pressure Fields




Figure 25. Density and Pressure Fields




Figure 26. Density and Pressure Fields




Figure 27. Density and Pressure Fields




Figure 28. Density and Pressure Fields




Figure 29. Density and Pressure Fields




Figure 30. Density and Pressure Fields




Figure 31. Density and Pressure Fields




Figure 32. Density and Pressure Fields




Figure 33. Density and Pressure Fields

## Preceding Page BLank - FILMED

### DISTRIBUTION LIST

No. of	f	No. of	f
Copies		Copies	
12	Commander Defense Documentation Center ATTN: DDC-TCA Cameron Station Alexandria, VA 22314	2	Commander US Army Armament Research and Development Command ATTN: Mr. J. Pearson Tech Lib Dover, NJ 07801
1	Commander US Army Materiel Development and Readiness Command ATTN: DRCDMA-ST 5001 Eisenhower Avenue Alexandria, VA 22333	1	Commander US Army Harry Diamond Labs ATTN: DRXDO-TI 2800 Powder Mill Road Adelphi, MD 20783
1	Commander US Army Aviation Research and Development Command ATTN: DRSAV-E 12th and Spruce Streets St. Louis, MO 63166	1	US Army Materials and Mechanics Research Center ATTN: Tech Lib Watertown, MA 02172
1	Director US Army Air Mobility Research and Development Laboratory Ames Research Center Moffett Field, CA 94035	1	Director US Army TRADOC Systems Analysis Activity ATTN: ATAA-SL(Tech Lib) White Sands Missile Range NM 88002
1	Commander US Army Electronics Command ATTN: DRSEL-RD Fort Monmouth, NJ 07703	1	Assistant Secretary of the Army (R&D) ATTN: Asst for Research Washington, DC 20310
1	Commander US Army Missile Research and Development Command ATTN: DRDMI-R Redstone Arsenal, AL 35809 Commander	1	Director US Army BMD Advanced Technology Center ATTN: Mr. Price Boyd, BMDATC-M P. O. Box 1500 Huntsville, AL 35809
1	US Army Armament Materiel Readiness Command	2	Chief of Naval Research Department of the Navy

ATTN: Code 427

Code 470 Washington, DC 20325

ATTN: DRSAR-LEP-L

Rock Island, IL 61201

### DISTRIBUTION LIST

No. of	f	No. of	
Copies	Organization	Copies	Organization
2	Commander US Naval Air Systems Command ATTN: Code AIR-310 Code AIR-350 Washington, DC 20360		AFWL (SUL) Kirtland AFB, NM 87116 AFAL (AVW) Wright-Patterson AFB, OH 45433
1	Commander US Naval Ordnance Systems Command ATTN: Code ORD-0332 Washington, DC 20360	1	Director National Aeronautics and Space Administration Langley Research Center Langley Station Hampton, VA 23365
1	Commander US Naval Surface Weapons Cente ATTN: Tech Lib Dahlgreen, VA 22448	er 1	Director Lawrence Radiation Laboratory ATTN: Mr. M. Wilkins P. O. Box 808
1	Commander US Naval Surface Weapons Center ATTN: Code 730, Lib Silver Spring, MD 20910	er 2	Livermore, CA 94550  Director Lawrence Livermore Laboratory
1	Commander US Naval Weapons Center ATTN: Code 45, Tech Lib China Lake, CA 93555		<ul><li>K. Division</li><li>ATTN: Dr. Mary Cunningham Mr. Jeff Thomsen</li><li>P. O. Box 808</li><li>Livermore, CA 94550</li></ul>
1	Commander US Naval Research Laboratory ATTN: Code 7780, Walt Atkins 4555 Overlook Avenue Washington, DC 20375	1	Computer Code Consultants ATTN: Mr. W. Johnson 527 Glencrest Drive Solana Beach, CA 92075
1	USAF (AFRDDA) Washington, DC 20330	1	Del Mar Technical Associates ATTN: Dr. Joel Sweet P. O. Box 1083 Del Mar, CA 92014
1	AFSC (SDW) Andrews AFB Washington, DC 20331	1	Physics International Corp ATTN: Mr. L. Berhman 2700 Merced Street
1	US Air Force Academy ATTN: Code FJS-RL (NC) Tech Lib Colorado Springs, CO 80940		San Leandro, CA 94577

### DISTRIBUTION LIST

### No. of Copies

### Organization

- 1 Sandia Laboratories ATTN: Dr. L. Bertholf Albuquerque, NM 87115
- 1 Systems, Science & Software ATTN: Dr. R. Sedgwick P. O. Box 1620 La Jolla, CA 92037
- 1 Drexel Institute of Technology Wave Propagation Research Center ATTN: Prof. P. Chou 32nd & Chestnut Streets Philadelphia, PA 19104
- University of California Los Alamos Scientific Lab ATTN: Dr. J. M. Walsh Tech Lib P. O. Box 1663 Los Alamos, NM 87545

### Aberdeen Proving Ground

Marine Corps Ln Ofc Dir, USAMSAA